CANADIAN FEEDLOT ANIMAL CARE ASSESSMENT PROGRAM

COMMON FEEDLOT COMMON AUDIT TOOL

November 2017 Edition, Version 5

Published by:



The content of the Canadian Feedlot Animal Care Assessment program has been independently reviewed by the National Farm Animal Care Council and found to have met all requirements outlined in Canada's Animal Care Assessment Framework. This national framework was developed by consensus among multiple stakeholders and sets a credible process for developing animal care assessment programs based on Codes of Practice.



Transportation Audit Form: Feedlot Cattle

Date:		
Name and auditing company:		
Feedlot name:		
Feedlot location:		
Feedlot contact: Number of trucks audited:		
Temperature/weather conditions:		
Core Criteria 1: Feedlot Transportat Preparedness	ion Policy and Cattle Receiving/Ship	ping
 Feedlot has a written emergency response plan injured/sick on arrival 	, including for fed animals in transit and those	/2
2. Feedlot staff/owners are available for receiving	s/shipping cattle or there are posted instructions	/2
3. Feedlot has extreme temperature management	strategies in receiving/shipping pens	/5
4. Gates in unloading/loading areas swing freely, la	atch securely, and have no sharp protrusions	/5
5. Non-slip flooring in loading/unloading areas		/5
6. Adequate lighting in loading/unloading areas		/5
	Total for Core Criteria 1:	/24 points
Excellent - 24 points Acceptable - 17 points Not Acceptable - Less than 17 points Serious Problem - Less than 15 points		
COMMENTS FOR CORE CRITERIA 1		

Core Criteria 2: Set-Up/Loading/Unloading Of Trailer

For loading and unloading, score at least 1 truck and up to 4 trucks each.

Score 1 or 0

		Load	ding		ı	Unlo	ading	3
Trailer	1	2	3	4	1	2	3	4
Trailer properly aligned with loading/unloading dock to prevent head/legs from being caught in gaps								
Trailer loaded at proper density								
Incompatible animals segregated as required								
CLT or BQAT trained truckers								
Sum								

Note: You must enter the total points possible as this data is used to generate the percentage (%). 1 point for each criteria on each truck observed. Enter this number in the input box next in the Total Score section (after the "/" sign).

Target: ≥80% Points

Total Score:

Excellent - 100% average score

Acceptable - 80% average score or greater **Not Acceptable** - Less than 80% average score

Cattle Handling in Loading/Unloading Area

	Loading		Unloading			Total#		%				
Trailer	1	2	3	4	1	2	3	4	L	UL	L	UL
Core Criteria 3: # animals prodded per load.												
Core Criteria 4: # falls per load.												
Core Criteria 5: Acceptable handling tools available and utilized as needed.												

Excellent – 0% prod use unloading, <10% prod use loading, 0% (falls) average score

Acceptable – ≤10% prod use unloading, ≤25% prod use

loading, ≤1% falls average score

Not acceptable - >10% prod use unloading, >25% prod use loading, >1% falls average score

Serious problem ->25% prod use unloading, >35%

prod use loading, >5% falls average score

Prod Use: Unloading ≤10%; Loading ≤ 25%	Points	
Falls: ≤1%	Points	
Acceptable Handling Tools & Use of Handling Tools: 100%	Points	

Note: You must fill in the percentage (%) columns, L and UL, as this data is used to generate the points awarded. For instructions on how to calculate the percentages, hover the cursor over the tip next to the percentage column.

Comments: (describe any inappropriate handling tools or misuse of handling tools (including inappropriate or excessive use of electric prods through truck punch holes), note reasons for prod use and falls).

TRANSPORTER ASSESSMENT

For loading (L) and unloading (UL), score at least 1 and up to 4 truck each.

		Loadi	ng			Unloadi	ng		Total#	# Cattle
Trailer	1	2	3	4	1	2	3	4	L	UL
# Head on truck										
Trucking company										
Truck # or Trucker Name										
Type of trailer (P = pot, S = straight, F = farm)										
Cattle type (C = calves; Y = yearlings; F = fed; NF = non-fed)										

Core Criteria 6: Timeliness of Unloading

not assessed

Time to Unload Newly Arrived Cattle

Start at the time the truck arrives on the yard until the first animal steps off the trailer.

Points

- ≤ 60 minutes of arrival = 4 points
- 61-90 minutes = 3 out of 4 points
- 91-120 minutes = 2 out of 4 points
- ≥ 120 with reason = 1 out of 4 points
- ≥ 120 without reason = 0 out of 4 points

Trailer	1	2	3	4
Start Time				
End Time				
Points				

Excellent - 95% or greater Acceptable - 85% or greater Not Acceptable - Less than 85% Serious Problem - Less than 80%

Note: Score each trailer using the point system listed in the "Points" box above. You must also indicate the total points possible (4 points for every truck observed) in order for a percentage to be generated. Enter this number in the input box next to the Total Score points.

Total Score: #		
Target: ≥85%	Points	

Comments:

Core Criteria 7: Timeliness of Loading

□ not assessed

Time from when the first animal steps on truck until loaded trailer leaves the yard.

Points	Trailer	1	2	3	4
≤ 60 minutes of arrival = 4 points 61-90 minutes = 3 out of 4 points	Start Time				
91-120 minutes =2 out of 4 points ≥ 120 with reason = 1 out of 4 points	End Time				
≥ 120 without reason = 0 out of 4 points	Points				
Excellent – 95% or greater Acceptable – 85% or greater Not Acceptable – Less than 85%	Note: Score each traile the point system listed "Points" box above. Yo also indicate the total	l in the Tota	al Score: #	/	<u></u> %
Serious Problem – Less than 80%	possible (4 points for e truck observed) in orde percentage to be gene	er for a rated.	Target: ≥85%	Points	
Comments:	Enter this number in the box next to the Total Spoints.				

Core Criteria 8: Willful Acts of Abuse/Egregious Acts of Neglect

Any willful act of abuse/egregious act of neglect are grounds for automatic audit failure.

Willful acts of abuse include, but are not limited to: 1) Dragging a conscious, non-ambulatory animal off truck, 2) intentionally applying prods to sensitive parts of the animal such as eyes, ears, nose, anus or testicles, 3) deliberate slamming of gates on cattle unless for human safety, 4) malicious driving of ambulatory cattle on top of one another, 5) maliciously hitting or beating an animal, 6) animal frozen to the floor or sides of the trailer, 7) loading unfit cattle as defined per CFIA transport regulations e.g. severe lameness/injury (unable to use a foot to walk), calving heifer/cow, uterine prolapse, severely emaciated animal (BCS<2).

Egregious acts of neglect include, but are not limited to: 1) failing to provide immediate medical care to cattle after unloading that are unfit or compromised cattle as defined per CFIA transport regulations e.g. severely lame/injured, calving, prolapse, severely emaciated and dehydrated, 2) failing to euthanize a distressed non-ambulatory animal on a truck as soon as possible where recovery is unlikely or emergency salvage slaughter is not feasible e.g. broken leg, 3) loading compromised cattle without special provisions as defined per CFIA transport regulations.

Any willful act of abuse or egregious acts of neglect observed?	Yes or	No
Comments:		

Secondary Criteria from Cattle Transport Audit

Secondary Item within Core Criteria 1:

1.	Shipping/receiving schedules are communicated between feedlot management and staff be to arrive or be loaded. Yes or No	fore the schedul	ed cattle ar
	Comments:		
Se	condary Item within Core Criteria 2:		
1.	Nonslip flooring in trailer.	Yes or	No
2.	Ramps are in good repair and free of obstacles	Yes or	No
3.	Bedding is used when required.	Yes or	No
4.	Cattle can stand in normal posture without contact with roof or upper deck of truck.	Yes or	No
	Comments:		
Se	condary Items within Core Criteria 3, 4 and 5:		
1.	Total number of slips (tally slips here):		
2.	Temperament of livestock (check one): Excitable Normal Docile		
3.	Did the person doing the loading/unloading do so quietly and calmly?	Yes or	No
	Comments on the attitude and behavior of the people unloading/loading the cattle here. As temperament may be correlated to the number of slips and falls.	an example, thei	r
Se	condary Items within Core Criteria 8:		
1.	Number of dead animals on the trailers (tally animals here):		
	Comments on animal condition:		
Au	ditor Signature: Date:		

Cattle Transportation Audit Form - Final Scoring

Core Criteria	Total Points Available	Points or Score Achieved	Percentage Score
Core Criteria 1 Feedlot Preparedness	24		
Core Criteria 2 Set-up, loading and alignment	5		
Core Criteria 3 Electric Prod Use	10		
Core Criteria 4 Cattle Falls	10		
Core Criteria 5 Acceptable handling tools	10		
Core Criteria 6 Timeliness of UnLoading			
Core Criteria 7 Timeliness of Loading			
Overall Points			
Core Criteria 8 Any egregious acts of neglect or willful acts of abuse observed?	Yes or No		
Summary of Nonconformities from P	rimary Core Criteria that Requ	uire Corrective Actions:	
Feedlot passed all secondary items:	□ Yes □ No		
Notes on Secondary Items:			
Auditor's Signature:		Date:	
Feedlot Operator/Manager Signature	:	Date:	

Signatures attest that the feedlot animal care audit was completed on that date. The feedlot operator or manager's signature does not signify agreement or disagreement with the findings of the auditor.

Canadian Feedlot Animal Care Assessment Common Feedlot Audit Tool

Date: Feedlot Legal Business Name:
Feedlot Common Name:
Feedlot Legal Land Location: Premise ID:
Feedlot Contact Name: Office Phone:
Cell #: Feedlot Fax: Email:
Feedlot Mailing Address:
One-Time Capacity of Feedlot (# head): Number Feeding Pens: # sick (hospital) pens: # chronic pens: # buller pens: # rail pens:
Current Cattle on Feed (# head): Type of Feedlot: ☐ backgrounding ☐ finishing
Type of Cattle on feed: □ calves □ yearlings □ cows □ bulls □ beef □ Holstein
Type of Feedlot: □ outdoor pens □ indoor barns □ other (describe):
Recent Weather (temperature, precipitation):
Name of Assessor: Company of Assessor:
Assessor's Phone #:
Purpose of Assessment: \square internal (1 st party or self) \square 2 nd party \square 3 rd party \square describe
Feedlot staff present during assessment:
Comments/Other:
Feedlot agreed to participate in Audit: yes no (Comments):

Feedlot has conducted a self-assessment of its own feedlot animal care management system within	
the last year and has supporting documentation Feedlot has a written animal care emergency response plan	_
	/6
Points	/6
Comments:	
Primary Core Criteria 2: Feedlot Facilities	
Feedlot cattle have access to areas, either natural or man-made, that provide relief from inclement	
weather that is likely to create a serious risk to cattle welfare, including windbreak fences and dry	
bedding packs	
Feedlot has equipment and facilities to safely handle, restrain, treat, and segregate cattle, including	
nonslip floors and gates in handling areas that swing freely, latch securely, and have no sharp	
protrusions. Handling equipment includes chute, snake, tub, and bloat/calving chute.	
Adequate lighting is provided in cattle handling areas For indoor feedlot pens, indoor air quality and ventilation are maintained and there are no	
indicators that ammonia levels are > 25 ppm (can you smell it?)	
Points	
Comments:	
comments:	
Primary Core Criteria 3: Cattle Handling	
Feedlot staff is trained on low stress cattle handling techniques	5/0
Feedlot has training records on low stress cattle handling	2/
	/7
Dointe	
Points	
Points	

CC. 3 Cattle Handling at Chute

Assess 1/3rd of cattle at each location: chute, snake, and tub. Do not assess the same animal repeatedly at multiple locations.

Count at least 100 head or at least 1 hour -SCORE DURING ACTIVE HANDLING



Enter the total number of cattle observed (up to 100):

Animal can only be scored once per category.

Assessment codes - mark 1 in boxes to right if condition found

Miscaught (M)	outsi shou next	de of chut lders back	e head bar wards NO ught in tail,	ead NOT fully s OR body from the T within chute OR /back gate AND not
Vocalizer (V)		handling		moo, bellow) during ed to a processing
Prod (P)		0	imal with a of electrica	prod (whether or I current)
Prod Misuse (PM):	with	out attemp	oting to mo	go OR prod use ove using alternative excessive prod use
Falls (F)	k	ody (belly	, brisket) t	ouches the floor
	#	%	Target	Points 💭
Miscaught (M)			0%	
Vocalizer (V)			≤15%	
Prod (P)			≤10%	
Prod Misuse (PM):			0%	
Falls (F)			≤2%	
Acceptable handling tools available and used appropriately			Yes	
Total Points			/60	

Comments: Record any slips, racing or jumping. Record where falls/slips occur; suspected reason for vocalizing e.g. hydraulic pressure too high in chute, miscaughts in chute (with release), sharp edges in facility; reason for jumping/racing e.g. prod use, belly bar in chute, dog biting animal, inappropriate handling equipment or inappropriate use of appropriate handling tools; reasons for electric prod misuse, and patterns of repetitive poor cattle handling behavior.

1						51					
2						52					
3						53					
4						54					
5						55					
6						56					
7						57					
8						58					
9						59					
10						60					
11						61					
12						62					
13						63					
14						64					
15						65					
16						66					
17						67					
18						68					
19						69					
20						70					
21						71					
22						72					
23						73					
24						74					
25						75					
26						76					
27						77					
28						78					
29						79					
30						80					
31						81					
32						82					
33						83					
34						84					
35						85					
36						86					
37						87					
38						88					\vdash
39						89					
40						90					
41						91					\vdash
41						91					
43						93 94					
44											
45						95					
46						96					
47						97					
48						98					
49						99					
50						100					
Σ						Total					
	М	V	P	М	F		М	V	P	PM	F

Primary Core Criteria 4: Nutrition and Feed Management Program

If the feedlot brands cattle, cattle hides are dry when branded, and cattle are branded by trained people using approved, well maintained equipment for branding cattle	
If the feedlot dehorns cattle, they have approved, well maintained equipment for dehorning or tipping cattle	
If the feedlot castrates bulls, they have approved, well maintained equipment for castrating	
If the feedlot dehorns cattle, they use pain control when dehorning cattle, in consultation with their veterinarian	
If the feedlot castrates bulls, they use pain control for bulls older than 9 months of age. As of 2018, pain control will be used for castrating bulls older than 6 months of age.	
If feedlot staff replace rectal/vaginal/uterine prolapses, spay heifers, or perform other surgical procedures, pain control is used, and the procedure is performed by trained competent staff	
Feedlot has individual animal treatment and mortality records, and veterinary prescriptions for all prescription drugs, including those in the feed	
Feedlot has individual animal or group processing records (vaccination, implanting, deworming)	
Feedlot cattle are observed daily for health, sickness, and injuries by trained competent staff	
 castration infections, prolapses what to do if an animal doesn't respond to initial treatment, including when to euthanize or cull animals, how to manage chronically ill or injured animals, and railers 	
• how to prevent, treat, control, and manage common disease and health problems in feedlot cattle, including but not limited to respiratory disease, lameness including non-ambulatory cattle, injuries, bloats, grain overloads, bullers, pregnant and calving heifers, heat stress, newborn calves, broken horns,	
protocol includes: requirement to monitor cattle on an ongoing basis and provide prompt treatment or care	
Feedlot has documented processing and treatment protocols developed by their veterinarian. Treatment	
Feedlot has a valid veterinary-client-patient relationship (VCPR) with a licensed provincial practitioner to ensure animal health and care and responsible animal health, and food safety product use	
Feedlot cattle are identified with a CCIA/ATQ RFID ear tag and missing tags are replaced (regulatory not welfare requirement)	
Primary Core Criteria 5: Animal Health Management	
Comments:	., =,
Points	/17
Feedlot has a training program for feed staff	
VELA FEED RESULATIONS	per
Feeding records e.g. batch mix sheets, feed delivery sheets, veterinary feed prescriptions are documented as p CFIA Feed Regulations.	

Primary Core Criteria 4, 5 and 6: Feed Management, Animal Health Management, and Environment

Score at least 5% of the home feeding pens, 1 receiving pen, 1 shipping pen, 1 or 2 sick pens, 1 chronic pen, and 1 rail pen with cattle. If there are < 5 pens in the feedlot, assess all pens. Select pens as per Introduction, pages 8 and 9. Assess all cattle in the pen after the pen-riders have checked, pulled and treated sick cattle for the day. For sick and chronic pens, only score those animals in the pen that are an egregious acts of neglect or willful act of abuse that need euthanasia or immediate emergency slaughter (see page 26, 28 and 29 for definitions). Describe in Comments.

				CC4.	CC4.	CC6.	CC6.	CC5. Anir	nal Heal	lth Mana	gement Number	
				Feed	Feed	Environment		of Cattle (
	Pen#	# head	DOF	Feed	Water	Properly Stocked	Clean Pen	Extreme Tag	Dead	Down	Animals Needing Attention	Comments
Feeding												
Feeding												
Feeding												
Feeding												
Feeding												
Receiving												
Shipping												
Total #											Animals Needing Euthanasia or Immediate Emergency Slaughter	Comments
Sick												
Sick												
Chronic												
Rail	<u> </u>											
Total #												

In small feedlots, the sick, chronic and rail pens may be combined so score at least 4 of these pens if available with cattle. Receive points if condition met e.g. clean pen = 1, properly stocked = 1. For CC5. Animal Health Management, record the number of animals with the condition e.g. 1 Down, 2 Animals Needing Attention.

*egregious act of neglect

Category	Description
Feed	Feed available at least once daily in home feeding pens
Water	Access to water at all times in home feeding pens, receiving and shipping pens (no water required in temporary holding pens)
Properly Stocked	All cattle can adopt normal resting postures at the same time (consider usable space)
Clean Pens	There is no extreme mud in pens i.e. extreme mud is > 4 " over the fetlock/mid-cannon bone/ ~ 12 " above ground) for $> 1/3$ of pen floor (excluding area for feed bunk, water trough and bedding pack)

Primary Core Criteria 4 and 6: Feeding and Environment Targets

	Points if meet target
Feed: 100% (feed must have been provided within the last 24 hour period)	
Water: 100% (water must have been provided in feeding pens at all times)	
Properly Stocked: ≥90%	
Clean Pens: ≥70%	
Comments: (Describe reasons feed may be absent in bunk, any reasons why cattle me bunk conditions. Feed must have been provided within a 24 hour period or this is an eprovided at all times in feeding pens; else, this is an egregious act of neglect. Addition noted, they must be provided with water. The only exception to providing water at housed in holding pens for a few hours e.g. re-implanting or weight sorting cattle. explain muddy pen conditions or taggy cattle e.g. weather conditions, and if pen caccess feed and water or find a dry resting area. Note any efforts underway to clean have difficulty reaching feed or water.)	egregious act of neglect. Water must be nally, if any nonambulatory animals are all times is when cattle are temporarily Describe any special circumstances to onditions make it difficult for cattle to
Primary Core Criteria 5: Health Condition of Animal	s in Pens
HEALTH TARGETS IN EFEDING DENS (HOME DECEIVING SHIPPING).	Points if meet target
HEALTH TARGETS IN FEEDING PENS (HOME, RECEIVING, SHIPPING): Down (nonambulatory): 0%	
Down (nonambulatory): 0%	
Down (nonambulatory): 0% Extreme Tag: ≤10%	
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0%	
Down (nonambulatory): 0% Extreme Tag: ≤10%	
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1%	Points if meet target
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1% HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS:	Points if meet target
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1%	Points if meet target
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1% HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS: Down (nonambulatory): ≤1%	Points if meet target
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1% HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS: Down (nonambulatory): ≤1% Extreme Tag (Extreme): ≤10%	Points if meet target
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1% HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS: Down (nonambulatory): ≤1% Extreme Tag (Extreme): ≤10%	Total/40
Down (nonambulatory): 0% Extreme Tag: ≤10% Dead: 0% Animals needing attention: ≤1% HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS: Down (nonambulatory): ≤1% Extreme Tag (Extreme): ≤10% Dead: 0%	Total/40 Total/30 Ing circumstances to explain what you ag timeframe for resolution. Are they hals. If the auditor notices any severely

Primary Core Criteria 7: On-Farm Humane Stunning/Euthanasia of Feedlot Cattle

Feedlot has a documented Euthanasia Protocol and Emergency Slaughter/Salvage Slaughter Protocol (if latter applicable). The protocol includes requirements to euthanize or cull for salvage slaughter without delay,	
cattle that:	
 are unlikely to recover fail to respond to treatment and convalescent protocols 	
• have chronic, severe, or debilitating pain and distress	
• are unable to consume feed and water	
• show continuous weight loss or emaciation	
• are non-ambulatory and nonresponsive for more than 24 hours unless otherwise ordered treatment by	
feedlot veterinarian	
Feedlot's documented Euthanasia Protocol and Emergency Slaughter/Salvage Slaughter Protocol (if latter applicable) include:	
• requirement that non-ambulatory cattle are not dragged (i.e. willful act of abuse) or forced to move prior to	
stunning for emergency slaughter or euthanasia	
• information on the correct placement and direction of a gun-shot or captive bolt	
 information on how to confirm insensibility and death 	
 information on what to do if the first attempt doesn't render the animal insensible 	
requirement not to move or leave the animal until confirmed dead	
Feedlot has acceptable stunning and euthanasia equipment for feedlot cattle. (Note: acceptable stunning and	
euthanasia equipment for feedlot cattle include a 22 magnum or larger caliber rifle, shotgun or penetrating	
captive bolt gun with secondary kill step)	
Feedlot has ample ammunition (properly stored) to euthanize or stun for emergency slaughter feedlot cattle at all times	
Feedlot has a back-up method on premises or readily available if gun doesn't work or breaks e.g. second gun	
Feedlot has a cleaning kit to maintain the stunning and euthanasia equipment	
Comments: Points	/39
Effective Stunning and Euthanasia Cattle Available to Assess: Yes	No
_	
During an on-site assessment, if there are any animals being stunned for salvage slaughter or euthanized by gunsho	
the effectiveness of the stunning. When evaluating the effectiveness of stunning, the auditor monitors whether o	
animal is rendered insensible with a single shot. Insensibility means the animal does not vocalize, raise its head, or	
eyes. If an animal is not rendered insensible immediately, then a second and third shot, if required, must be d	
immediately. If more than 2 shots are required to render the animal insensible or the operator does not deliver ac	
shots immediately to render the animal insensible, then stunning for insensibility is considered ineffective. Note: ac	
shots after insensibility may be required to render the animal dead and those shots are not counted here when dete the effectiveness of stunning for insensibility.	grillilling
the effectiveness of stuffling for miserisibility.	
Cattle available to assess? 1 2 3 4	5
Effective stunning so animal insensible	
Effective Stunning: Total: #/ %	
Target: <u>></u> 90%	

Primary Core Criteria 8: Egregious Acts of Neglect or Willful Acts of Abuse

Any egregious act of neglect or willful act of abuse that is observed in the feedlot are grounds for automatic assessment failure.

Egregious acts of neglect include but are not limited to:

- failing to follow veterinary protocols related to timely euthanasia of critically ill/distressed animals,
- failing to euthanize a chronically diseased or injured animal with a BCS < 2 as per veterinary health and euthanasia protocols,
- failing to provide daily feed to cattle within a 24 hour period,
- failing to provide ad libitum water to cattle in home feeding pens,
- failing to provide water to nonambulatory animals,
- failing to assist a known calving heifer in a timely manner,
- failing to assist a newborn calf in distress, and
- failing to immediately assist and provide medical care to a nonambulatory animal
- failing to provide immediate medical assistance to a "compromised" animal unloaded from a livestock truck, as defined per CFIA Transportation Regulations
- loading a "compromised" animal without special transport provisions, as per CFIA Transportation Regulations.

Willful acts of abuse include, but are not limited to:

- dragging of conscious animals by any part of their body except in the rare case where a non-ambulatory animal must be moved from a life threatening situation,
- deliberate application of prods to sensitive parts of the animal such as the eyes, ears, nose, anus, vulva, udder, or testicles,
- deliberate slamming of gates on cattle unless for human safety,
- malicious hitting/beating of an animal which includes forcefully striking an animal with a closed fist, foot, handling
 equipment e.g. sorting paddle or other hard/solid objects that can cause pain, bruising or injury,
- deliberate driving of ambulatory cattle on top of one another,
- tail docking unless on the advice of a licensed veterinarian,
- abdominal surgery e.g. rumen fistula, C section, spaying, conducted by an unqualified untrained person without anesthetic and analgesia,
- rectal/vaginal/uterine prolapse replacements with suture or amputations without anesthetic or analgesia,
- euthanasia by means other than approved guns or euthanasia drugs administered by a licensed veterinarian,
- during euthanasia by gunshot, failing to immediately deliver additional shots if the first shot does not render the animal insensible and then dead (assuming no secondary kill step was used after rendering insensible by gunshot, such as pithing or jugular exsanguination),
- live animal on the dead stock pile,
- unchecked dog biting cattle in chute with cattle having nowhere to go,
- live animal frozen to the ground,
- branding wet cattle
- loading cattle unfit for transport as per CFIA Transport Regulations

Observed:	YES	NO	YES = AUTOMATIC AUDIT FAILURE
Comments on any	egregiou	s acts of neglect or willful acts of abu	use observed (if any)

Secondary Criteria

Secondary Item within Core Criteria 1: Feedlot Commitment to Animal Care

Τ.	Feedlot has a written animal care policy.	☐ Yes or ☐ No
Sec	ondary Items within Core Criteria 2: Facilities	
1.	For indoor feedlot pens, supplementary light is provided to cattle that do not have access to natural light to facilitate normal behavior (can you see in barn?)	□ Yes or □ No □ NA
2.		□ Yes or □ No □ NA
3.	Feedlot has a documented pen maintenance plan or records to show how manure/mud build-up in pens is minimized	☐ Yes or ☐ No
	Comments on facilities:	
Sed	ondary Items within Core Criteria 3: Cattle Handling	
1.	Total number miscaught in chute and immediately released (tally here):	
	Total number of slips (tally slips here):	
	Total number of cattle jumping and racing (tally jumping and racing here):	
	Temperament of cattle (check one): Excitable Normal Docile	
L	Did the persons handling the cattle do so quietly and calmly?	☐ Yes or ☐ No
٥.	Comments on attitude and behavior of people handling cattle:	
	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program	
	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes:	□ Yes or □ No
Se	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload and	□ Yes or □ No
Se	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru	□ Yes or □ No pt nd
Se	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage	☐ Yes or ☐ No pt nd as
Se	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats	☐ Yes or ☐ No pt nd as es,
Se 1.	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly e. how to assess water quality and quantity and adjust as needed	☐ Yes or ☐ No pt nd as es,
Se 1.	Comments on attitude and behavior of people handling cattle: Condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly e. how to assess water quality and quantity and adjust as needed Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking	☐ Yes or ☐ No pt nd as es,
Sec 1.	Condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly e. how to assess water quality and quantity and adjust as needed Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets)	□ Yes or □ No pt nd as es, ng □ Yes or □ No
Se 1.	Comments on attitude and behavior of people handling cattle: Condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly e. how to assess water quality and quantity and adjust as needed Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets) Feedlot takes steps to prevent exposure to toxins and feed with adverse physical qualities that lim	☐ Yes or ☐ No pt nd as es, ng ☐ Yes or ☐ No ☐ Yes or ☐ No
See 1. 2. 3.	Comments on attitude and behavior of people handling cattle: condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly e. how to assess water quality and quantity and adjust as needed Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets) Feedlot takes steps to prevent exposure to toxins and feed with adverse physical qualities that limintake or cause injury e.g. inspects incoming feeds, tests suspect feed	☐ Yes or ☐ No pt nd as es, ng ☐ Yes or ☐ No ☐ Yes or ☐ No
2. 3. 4.	Comments on attitude and behavior of people handling cattle: Condary Items within Core Criteria 4: Nutrition and Feed Management Program Feedlot has a documented feeding protocol that includes: a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration) b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly e. how to assess water quality and quantity and adjust as needed Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets) Feedlot takes steps to prevent exposure to toxins and feed with adverse physical qualities that lim	☐ Yes or ☐ No pt nd as es, ng ☐ Yes or ☐ No ☐ Yes or ☐ No ☐ Yes or ☐ No nit ☐ Yes or ☐ No

	Feedlot has a written protocol which is well understood by staff on how to promptly and properly handle non-ambulatory cattle	☐ Yes or ☐ No
	Feedlot has a written protocol about how to promptly and properly handle seriously injured cattle e.g. broken leg	☐ Yes or ☐ No
	Feedlot has written veterinary health protocols with pain control for all surgical procedures performed by feedlot staff, including but not limited to spaying, rectal, vaginal and uterine prolapse repair, claw amputations, rumen fistula	☐ Yes or ☐ No ☐ N
	Feedlot management and/or veterinarian monitor disease rates and the veterinarian is notified to investigate any unusual or high disease occurrences (treatment, death); advising the producer how to reduce losses by examining animals and reviewing existing biosecurity, health (treatment, mortality) and feeding protocols and records to prevent reoccurrences	☐ Yes or ☐ No
	If performance enhancing technologies (e.g. implants, beta-agonists) are used, they are used as per label directions and/or veterinary prescriptions	☐ Yes or ☐ No ☐ N
	Feedlot has a documented castration protocol, including for retained testicles (belly nuts), developed by their veterinarian that includes use of pain control or a policy to return bulls to seller or a policy to feed intact bulls	☐ Yes or ☐ No ☐ N
	Feedlot has a documented dehorning protocol developed by their veterinarian that includes use of pain control	☐ Yes or ☐ No ☐ N
	Feedlot has a documented branding protocol	☐ Yes or ☐ No ☐ N
		☐ Yes or ☐ No
	Feedlot has animal health training records	□ 162 01 □ 140
e	Comments: condary Items within Core Criteria 7: Euthanasia	
e	Comments:	□ Yes or □ No
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot	
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.	
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle. Comments:	
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle. Comments: condary Items: Care of Other Working Animals in the Feedlot	
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle. Comments: econdary Item: Care of Other Working Animals in the Feedlot *** non-cattle welfare section	☐ Yes or ☐ No
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle. Comments: condary Item: Care of Other Working Animals in the Feedlot *** non-cattle welfare section Feedlot uses horses to monitor or move cattle.	☐ Yes or ☐ No
e	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle. Comments: **** condary Item: Care of Other Working Animals in the Feedlot **** non-cattle welfare section Feedlot uses horses to monitor or move cattle. Feedlot uses dogs to move cattle es to 1 or 2, then answer the questions below:	☐ Yes or ☐ No
ee Y	condary Items within Core Criteria 7: Euthanasia Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle. Comments: condary Item: Care of Other Working Animals in the Feedlot *** non-cattle welfare section Feedlot uses horses to monitor or move cattle. Feedlot uses dogs to move cattle es to 1 or 2, then answer the questions below: Feedlot horses/dogs are provided with feed and water daily (within 24 hour period)	☐ Yes or ☐ No

Feedlot's Final Score of their Animal Care Assessment Program

Primary Core Criteria	Points Available	Points Achieved	Percentage Score %
Feedlot participation in animal care assessment	-		-
1. Feedlot's Commitment to Animal Care	6		
2. Facilities			
3. Cattle Handling	67		
4. Nutrition and Feed Management	37		
5. Animal Health Management			
6. Environment	15		
7. Euthanasia	39		
7. Effective Stunning and Euthanasia	-		-
8. Egregious Acts of Neglect or Willful Acts of Abuse	-		-
Total Points			
Feedlot passed all primary core criteria:	Yes No		
		re Corrective Actions:	
Summary of Nonconformities from Primary	Core Criteria that Requi	re Corrective Actions:	
Summary of Nonconformities from Primary of Nonconformities fro	Core Criteria that Requi	re Corrective Actions:	
Summary of Nonconformities from Primary of Nonconformities fro	Yes No	re Corrective Actions:	