## CANADIAN FEEDLOT ANIMAL CARE ASSESSMENT PROGRAM

# COMMON FEEDLOT COMMON AUDIT TOOL

December 2018 Edition, Version 6

#### Published by:



The content of the Canadian Feedlot Animal Care Assessment program has been independently reviewed by the National Farm Animal Care Council and found to have met all requirements outlined in Canada's Animal Care Assessment Framework. This national framework was developed by consensus among multiple stakeholders and sets a credible process for developing animal care assessment programs based on Codes of Practice.



## Transportation Audit Form: Feedlot Cattle

| Feedlot contact:  Temperature/weather conditions:   |
|---|
| Feedlot location:  Feedlot contact:  Temperature/weather conditions:  Core Criteria 1: Feedlot Transportation Policy and Cattle Receiving/Shipping Preparedness  1. Feedlot has a written emergency response plan, including for fed animals in transit and those injured/sick on arrival  2. Feedlot staff/owners are available for receiving/shipping cattle or there are posted instructions  3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas |
| Temperature/weather conditions:  Core Criteria 1: Feedlot Transportation Policy and Cattle Receiving/Shipping Preparedness  1. Feedlot has a written emergency response plan, including for fed animals in transit and those injured/sick on arrival  2. Feedlot staff/owners are available for receiving/shipping cattle or there are posted instructions  3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas                                      |
| Core Criteria 1: Feedlot Transportation Policy and Cattle Receiving/Shipping Preparedness  1. Feedlot has a written emergency response plan, including for fed animals in transit and those injured/sick on arrival  2. Feedlot staff/owners are available for receiving/shipping cattle or there are posted instructions  3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas   |
| Core Criteria 1: Feedlot Transportation Policy and Cattle Receiving/Shipping Preparedness  1. Feedlot has a written emergency response plan, including for fed animals in transit and those injured/sick on arrival  2. Feedlot staff/owners are available for receiving/shipping cattle or there are posted instructions  3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas   |
| Preparedness  1. Feedlot has a written emergency response plan, including for fed animals in transit and those injured/sick on arrival  2. Feedlot staff/owners are available for receiving/shipping cattle or there are posted instructions  3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas  75  |
| injured/sick on arrival  2. Feedlot staff/owners are available for receiving/shipping cattle or there are posted instructions  3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas  72  73  75  75  76  77  78  78  79  79  79  70  70  70  70  71  71  72  73  75  75  75  75  75   |
| 3. Feedlot has extreme temperature management strategies in receiving/shipping pens  4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas  75  76  77  78  78  79  79  79  79  79  79  70  70  70  70  |
| 4. Gates in unloading/loading areas swing freely, latch securely, and have no sharp protrusions  5. Non-slip flooring in loading/unloading areas  6. Adequate lighting in loading/unloading areas  75  76   |
| 5. Non-slip flooring in loading/unloading areas  4. Sates in unloading loading areas /5  5. Non-slip flooring in loading/unloading areas /5  6. Adequate lighting in loading/unloading areas /5   |
| 6. Adequate lighting in loading/unloading areas/5   |
| o. Adequate lighting in loading/difloading areas  |
| Total for Core Criteria 1:/24 points  |
|   |
| Excellent - 24 points Acceptable - 17 points Not Acceptable - Less than 17 points Serious Problem - Less than 15 points   |
| COMMENTS FOR CORE CRITERIA 1  |
|   |
|   |
|   |
|   |
|   |

## Core Criteria 2: Set-Up/Loading/Unloading Of Trailer

For loading and unloading, score at least 1 truck and up to 4 trucks each.

#### Score 1 or 0

|   |   | Load | ding |   | ı | Unlo | ading | 3 |
|---|---|------|------|---|---|------|-------|---|
| Trailer   | 1 | 2    | 3    | 4 | 1 | 2    | 3     | 4 |
| Trailer properly aligned with loading/unloading dock to prevent head/legs from being caught in gaps |   |      |      |   |   |      |       |   |
| Trailer loaded at proper density  |   |      |      |   |   |      |       |   |
| Incompatible animals segregated as required   |   |      |      |   |   |      |       |   |
| CLT or BQAT trained truckers  |   |      |      |   |   |      |       |   |
| Sum   |   |      |      |   |   |      |       |   |

Note: You must enter the total points possible as this data is used to generate the percentage (%). 1 point for each criteria on each truck observed. Enter this number in the input box next in the Total Score section (after the "/" sign).

Target: ≥80% Points

**Total Score:** 

Excellent - 100% average score

**Acceptable** - 80% average score or greater **Not Acceptable** - Less than 80% average score

## **Cattle Handling in Loading/Unloading Area**

|  | Loading |   | Unloading |   |   | Total # |   | % |   |    |   |    |
|--|---------|---|-----------|---|---|---------|---|---|---|----|---|----|
| Trailer  | 1       | 2 | 3         | 4 | 1 | 2       | 3 | 4 | L | UL | L | UL |
| Core Criteria 3: # animals prodded per load.                                 |         |   |           |   |   |         |   |   |   |    |   |    |
| Core Criteria 4: # falls per load.   |         |   |           |   |   |         |   |   |   |    |   |    |
| Core Criteria 5: Acceptable handling tools available and utilized as needed. |         |   |           |   |   |         |   |   |   |    |   |    |

**Excellent** – 0% prod use unloading, <10% prod use loading, 0% (falls) average score

Acceptable – ≤10% prod use unloading, ≤25% prod use

loading, ≤1% falls average score

Not acceptable - >10% prod use unloading, >25% prod use loading, >1% falls average score

Serious problem ->25% prod use unloading, >35%

prod use loading, >5% falls average score

| Prod Use: Unloading ≤10%; Loading ≤ 25%                    | Points |  |
|--|--------|--|
| Falls: ≤1%   | Points |  |
| Acceptable Handling Tools<br>& Use of Handling Tools: 100% | Points |  |

Note: You must fill in the percentage (%) columns, L and UL, as this data is used to generate the points awarded. For instructions on how to calculate the percentages, hover the cursor over the tip next to the percentage column.

Comments: (describe any inappropriate handling tools or misuse of handling tools (including inappropriate or excessive use of electric prods through truck punch holes), note reasons for prod use and falls).

## TRANSPORTER ASSESSMENT

For loading (L) and unloading (UL), score at least 1 and up to 4 truck each.

|  |   | Loadi | ng |   |   | Unloadi | ng |   | Total# Cattle |    |
|--|---|-------|----|---|---|---------|----|---|---------------|----|
| Trailer  | 1 | 2     | 3  | 4 | 1 | 2       | 3  | 4 | L             | UL |
| # Head on truck  |   |       |    |   |   |         |    |   |               |    |
| Trucking company   |   |       |    |   |   |         |    |   |               |    |
| Truck # or Trucker Name  |   |       |    |   |   |         |    |   |               |    |
| Type of trailer (P = pot, S = straight, F = farm)              |   |       |    |   |   |         |    |   |               |    |
| Cattle type (C = calves; Y = yearlings; F = fed; NF = non-fed) |   |       |    |   |   |         |    |   |               |    |

## Core Criteria 6: Timeliness of Unloading

not assessed

#### **Time to Unload Newly Arrived Cattle**

Start at the time the truck arrives on the yard until the first animal steps off the trailer.

#### **Points**

- ≤ 60 minutes of arrival = 4 points
- 61-90 minutes = 3 out of 4 points
- 91-120 minutes = 2 out of 4 points
- ≥ 120 with reason = 1 out of 4 points
- ≥ 120 without reason = 0 out of 4 points

| Trailer    | 1 | 2 | 3 | 4 |
|------------|---|---|---|---|
| Start Time |   |   |   |   |
| End Time   |   |   |   |   |
| Points     |   |   |   |   |

Excellent - 95% or greater Acceptable - 85% or greater Not Acceptable - Less than 85% Serious Problem - Less than 80%

Note: Score each trailer using the point system listed in the "Points" box above. You must also indicate the total points possible (4 points for every truck observed) in order for a percentage to be generated. Enter this number in the input box next to the Total Score points.

| Total Score: # |        |  |
|----------------|--------|--|
| Target: ≥85%   | Points |  |

#### Comments:

### **Core Criteria 7: Timeliness of Loading**

□ not assessed

Time from when the first animal steps on truck until loaded trailer leaves the yard.

| Points  | Trailer   | 1               | 2            | 3      | 4         |
|---|---|-----------------|--------------|--------|-----------|
| ≤ 60 minutes of arrival = 4 points 61-90 minutes = 3 out of 4 points                  | Start Time  |                 |              |        |           |
| 91-120 minutes =2 out of 4 points ≥ 120 with reason = 1 out of 4 points               | End Time  |                 |              |        |           |
| ≥ 120 without reason = 0 out of 4 points  | Points  |                 |              |        |           |
| Excellent – 95% or greater Acceptable – 85% or greater Not Acceptable – Less than 85% | Note: Score each traile<br>the point system listed<br>"Points" box above. Yo<br>also indicate the total | l in the Tota   | al Score: #  | /      | <u></u> % |
| Serious Problem – Less than 80%   | possible (4 points for e<br>truck observed) in orde<br>percentage to be gene                            | er for a rated. | Target: ≥85% | Points |           |
| Comments:   | Enter this number in the box next to the Total Spoints.   |                 |              |        |           |
|   |   |                 |              |        |           |
|   |   |                 |              |        |           |

## Core Criteria 8: Willful Acts of Abuse/Egregious Acts of Neglect

Any willful act of abuse/egregious act of neglect are grounds for automatic audit failure.

Willful acts of abuse include, but are not limited to: 1) Dragging a conscious, non-ambulatory animal off truck, 2) intentionally applying prods to sensitive parts of the animal such as eyes, ears, nose, anus or testicles, 3) deliberate slamming of gates on cattle unless for human safety, 4) malicious driving of ambulatory cattle on top of one another, 5) maliciously hitting or beating an animal, 6) animal frozen to the floor or sides of the trailer, 7) loading unfit cattle as defined per CFIA transport regulations e.g. severe lameness/injury (unable to use a foot to walk), calving heifer/cow, uterine prolapse, severely emaciated animal (BCS<2).

Egregious acts of neglect include, but are not limited to: 1) failing to provide immediate medical care to cattle after unloading that are unfit or compromised cattle as defined per CFIA transport regulations e.g. severely lame/injured, calving, prolapse, severely emaciated and dehydrated, 2) failing to euthanize a distressed non-ambulatory animal on a truck as soon as possible where recovery is unlikely or emergency salvage slaughter is not feasible e.g. broken leg, 3) loading compromised cattle without special provisions as defined per CFIA transport regulations.

| Any willful act of abuse or egregious acts of neglect observed? | Yes or | No |
|---|--------|----|
| Comments:   |        |    |
|   |        |    |
|   |        |    |
|   |        |    |
|   |        |    |
|   |        |    |

## **Secondary Criteria from Cattle Transport Audit**

## **Secondary Item within Core Criteria 1:**

| 1. | Shipping/receiving schedules are communicated between feedlot management and staff be to arrive or be loaded. Yes or No  | fore the schedul | ed cattle ar |
|----|--|------------------|--------------|
|    | Comments:  |                  |              |
| Se | condary Item within Core Criteria 2:   |                  |              |
| 1. | Nonslip flooring in trailer.   | Yes or           | No           |
| 2. | Ramps are in good repair and free of obstacles   | Yes or           | No           |
| 3. | Bedding is used when required.   | Yes or           | No           |
| 4. | Cattle can stand in normal posture without contact with roof or upper deck of truck.   | Yes or           | No           |
|    | Comments:  |                  |              |
| Se | condary Items within Core Criteria 3, 4 and 5:   |                  |              |
| 1. | Total number of slips (tally slips here):  |                  |              |
| 2. | Temperament of livestock (check one): Excitable Normal Docile  |                  |              |
| 3. | Did the person doing the loading/unloading do so quietly and calmly?   | Yes or           | No           |
|    | <b>Comments</b> on the attitude and behavior of the people unloading/loading the cattle here. As temperament may be correlated to the number of slips and falls. | an example, thei | r<br>        |
| Se | condary Items within Core Criteria 8:  |                  |              |
| 1. | Number of dead animals on the trailers (tally animals here):   |                  |              |
|    | Comments on animal condition:  |                  |              |
|    |  |                  |              |
|    |  |                  |              |
|    |  |                  |              |
| Au | ditor Signature: Date:   |                  |              |

## **Cattle Transportation Audit Form - Final Scoring**

| Core Criteria  | Total Points Available         | Points or Score<br>Achieved | Percentage Score |
|--|--------------------------------|-----------------------------|------------------|
| Core Criteria 1 Feedlot Preparedness   | 24                             |                             |                  |
| Core Criteria 2<br>Set-up, loading and alignment                                 | 5                              |                             |                  |
| Core Criteria 3<br>Electric Prod Use   | 10                             |                             |                  |
| Core Criteria 4<br>Cattle Falls  | 10                             |                             |                  |
| Core Criteria 5<br>Acceptable handling tools                                     | 10                             |                             |                  |
| Core Criteria 6<br>Timeliness of UnLoading                                       |                                |                             |                  |
| Core Criteria 7<br>Timeliness of Loading   |                                |                             |                  |
| Overall Points   |                                |                             |                  |
| Core Criteria 8 Any egregious acts of neglect or willful acts of abuse observed? | Yes or No                      |                             |                  |
| Summary of Nonconformities from P  | rimary Core Criteria that Requ | uire Corrective Actions:    |                  |
|  |                                |                             |                  |
|  |                                |                             |                  |
|  |                                |                             |                  |
|  |                                |                             |                  |
| Feedlot passed all secondary items:  | □ Yes □ No                     |                             |                  |
| Notes on Secondary Items:  |                                |                             |                  |
|  |                                |                             |                  |
|  |                                |                             |                  |
|  |                                |                             |                  |
| Auditor's Signature:   |                                | Date:                       |                  |
| Feedlot Operator/Manager Signature   | :                              | Date:                       |                  |

Signatures attest that the feedlot animal care audit was completed on that date. The feedlot operator or manager's signature does not signify agreement or disagreement with the findings of the auditor.

# Canadian Feedlot Animal Care Assessment Common Feedlot Audit Tool

| Date: Feedlot Legal Business Name:   |
|--|
| Feedlot Common Name:   |
| Feedlot Legal Land Location: Premise ID:   |
| Feedlot Contact Name: Office Phone:  |
| Cell #: Feedlot Fax: Email:  |
| Feedlot Mailing Address:   |
| One-Time Capacity of Feedlot (# head): Number Feeding Pens: # sick (hospital) pens: # chronic pens: # buller pens: # rail pens:                              |
| Current Cattle on Feed (# head): Type of Feedlot: ☐ backgrounding ☐ finishing  |
| Type of Cattle on feed: □ calves □ yearlings □ cows □ bulls □ beef □ Holstein  |
| Type of Feedlot: □ outdoor pens □ indoor barns □ other (describe):   |
| Recent Weather (temperature, precipitation):   |
| Name of Assessor: Company of Assessor:   |
| Assessor's Phone #:  |
| Purpose of Assessment: $\square$ internal (1 <sup>st</sup> party or self) $\square$ 2 <sup>nd</sup> party $\square$ 3 <sup>rd</sup> party $\square$ describe |
| Feedlot staff present during assessment:   |
| Comments/Other:  |
| Feedlot agreed to participate in Audit: yes no (Comments):   |
|  |
|  |

| Feedlot has conducted a self-assessment of its own feedlot animal care management system within   |     |
|---|-----|
| the last year and has supporting documentation Feedlot has a written animal care emergency response plan  | _   |
|   | /6  |
| Points  | /6  |
| Comments:   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
| Primary Core Criteria 2: Feedlot Facilities   |     |
| Feedlot cattle have access to areas, either natural or man-made, that provide relief from inclement   |     |
| weather that is likely to create a serious risk to cattle welfare, including windbreak fences and dry   |     |
| bedding packs   |     |
| Feedlot has equipment and facilities to safely handle, restrain, treat, and segregate cattle, including   |     |
| nonslip floors and gates in handling areas that swing freely, latch securely, and have no sharp   |     |
| protrusions. Handling equipment includes chute, snake, tub, and bloat/calving chute.  |     |
| Adequate lighting is provided in cattle handling areas  For indoor feedlot pens, indoor air quality and ventilation are maintained and there are no |     |
| indicators that ammonia levels are > 25 ppm (can you smell it?)   |     |
|   |     |
| Points  |     |
| Comments:   |     |
| comments:   |     |
|   |     |
|   |     |
|   |     |
|   |     |
|   |     |
| Primary Core Criteria 3: Cattle Handling  |     |
|   |     |
| Feedlot staff is trained on low stress cattle handling techniques   | 5/0 |
|   | 2/  |
| Feedlot has training records on low stress cattle handling  | /7  |
|   | //  |
| Feedlot has training records on low stress cattle handling  Points  |     |
| Points  |     |
|   |     |
| Points  |     |
| Points  |     |

## **CC. 3 Cattle Handling at Chute**

Assess 1/3rd of cattle at each location: chute, snake, and tub. Do not assess the same animal repeatedly at multiple locations.

Count at least 100 head or at least 1 hour -SCORE DURING ACTIVE HANDLING



#### Enter the total number of cattle observed (up to 100):

Animal can only be scored once per category.

Assessment codes - mark 1 in boxes to right if condition found

| Miscaught<br>(M)   | outsi<br>shou<br>next | de of chut<br>lders back | e head bar<br>wards NO<br>ught in tail, | ead NOT fully<br>s OR body from the<br>T within chute OR<br>/back gate AND not |
|--|-----------------------|--------------------------|---|--|
| Vocalizer (V)  |                       | handling                 |   | moo, bellow) during<br>ed to a processing                                      |
| Prod (P)   |                       | 0                        | imal with a<br>of electrica             | prod (whether or I current)  |
| Prod Misuse<br>(PM):                                       | with                  | out attemp               | oting to mo                             | go <b>OR</b> prod use<br>ove using alternative<br>excessive prod use           |
| Falls (F)  | k                     | ody (belly               | , brisket) t                            | ouches the floor   |
|  | #                     | %                        | Target                                  | Points 💭   |
| Miscaught<br>(M)   |                       |                          | 0%                                      |  |
| Vocalizer (V)  |                       |                          | ≤15%                                    |  |
| Prod (P)   |                       |                          | ≤10%                                    |  |
| Prod Misuse<br>(PM):                                       |                       |                          | 0%                                      |  |
| Falls (F)  |                       |                          | ≤2%                                     |  |
| Acceptable handling tools available and used appropriately |                       |                          | Yes                                     |  |
| <b>Total Points</b>  |                       |                          | /60                                     |  |

Comments: Record any slips, racing or jumping. Record where falls/slips occur; suspected reason for vocalizing e.g. hydraulic pressure too high in chute, miscaughts in chute (with release), sharp edges in facility; reason for jumping/racing e.g. prod use, belly bar in chute, dog biting animal, inappropriate handling equipment or inappropriate use of appropriate handling tools; reasons for electric prod misuse, and patterns of repetitive poor cattle handling behavior.

| 1  |   |   |   |   |   | 51       |   |   |   |    |          |
|----|---|---|---|---|---|----------|---|---|---|----|----------|
| 2  |   |   |   |   |   | 52       |   |   |   |    |          |
| 3  |   |   |   |   |   | 53       |   |   |   |    |          |
| 4  |   |   |   |   |   | 54       |   |   |   |    |          |
| 5  |   |   |   |   |   | 55       |   |   |   |    |          |
| 6  |   |   |   |   |   | 56       |   |   |   |    |          |
| 7  |   |   |   |   |   | 57       |   |   |   |    |          |
| 8  |   |   |   |   |   | 58       |   |   |   |    |          |
| 9  |   |   |   |   |   | 59       |   |   |   |    |          |
| 10 |   |   |   |   |   | 60       |   |   |   |    |          |
| 11 |   |   |   |   |   | 61       |   |   |   |    |          |
| 12 |   |   |   |   |   | 62       |   |   |   |    |          |
|    |   |   |   |   |   |          |   |   |   |    |          |
| 13 |   |   |   |   |   | 63       |   |   |   |    |          |
| 14 |   |   |   |   |   | 64       |   |   |   |    |          |
| 15 |   |   |   |   |   | 65       |   |   |   |    |          |
| 16 |   |   |   |   |   | 66       |   |   |   |    |          |
| 17 |   |   |   |   |   | 67       |   |   |   |    |          |
| 18 |   |   |   |   |   | 68       |   |   |   |    |          |
| 19 |   |   |   |   |   | 69       |   |   |   |    |          |
| 20 |   |   |   |   |   | 70       |   |   |   |    |          |
| 21 |   |   |   |   |   | 71       |   |   |   |    |          |
| 22 |   |   |   |   |   | 72       |   |   |   |    |          |
| 23 |   |   |   |   |   | 73       |   |   |   |    |          |
| 24 |   |   |   |   |   | 74       |   |   |   |    |          |
| 25 |   |   |   |   |   | 75       |   |   |   |    |          |
| 26 |   |   |   |   |   | 76       |   |   |   |    |          |
| 27 |   |   |   |   |   | 77       |   |   |   |    |          |
| 28 |   |   |   |   |   | 78       |   |   |   |    |          |
| 29 |   |   |   |   |   | 79       |   |   |   |    |          |
| 30 |   |   |   |   |   | 80       |   |   |   |    |          |
| 31 |   |   |   |   |   | 81       |   |   |   |    |          |
| 32 |   |   |   |   |   | 82       |   |   |   |    |          |
| 33 |   |   |   |   |   | 83       |   |   |   |    |          |
| 34 |   |   |   |   |   | 84       |   |   |   |    |          |
| 35 |   |   |   |   |   | 85       |   |   |   |    |          |
| 36 |   |   |   |   |   | 86       |   |   |   |    |          |
| 37 |   |   |   |   |   | 87       |   |   |   |    |          |
| 38 |   |   |   |   |   | 88       |   |   |   |    | $\vdash$ |
| 39 |   |   |   |   |   | 89       |   |   |   |    |          |
| 40 |   |   |   |   |   | 90       |   |   |   |    |          |
| 41 |   |   |   |   |   | 91       |   |   |   |    | $\vdash$ |
| 41 |   |   |   |   |   | 91       |   |   |   |    |          |
|    |   |   |   |   |   |          |   |   |   |    |          |
| 43 |   |   |   |   |   | 93<br>94 |   |   |   |    |          |
| 44 |   |   |   |   |   |          |   |   |   |    |          |
| 45 |   |   |   |   |   | 95       |   |   |   |    |          |
| 46 |   |   |   |   |   | 96       |   |   |   |    |          |
| 47 |   |   |   |   |   | 97       |   |   |   |    |          |
| 48 |   |   |   |   |   | 98       |   |   |   |    |          |
| 49 |   |   |   |   |   | 99       |   |   |   |    |          |
| 50 |   |   |   |   |   | 100      |   |   |   |    |          |
| Σ  |   |   |   |   |   | Total    |   |   |   |    |          |
|    | М | V | P | М | F |          | М | V | P | PM | F        |

## **Primary Core Criteria 4: Nutrition and Feed Management Program**

| If the feedlot brands cattle, cattle hides are dry when branded, and cattle are branded by trained people using approved, well maintained equipment for branding cattle   |       |
|---|-------|
| If the feedlot dehorns cattle, they have approved, well maintained equipment for dehorning or tipping cattle  |       |
| If the feedlot castrates bulls, they have approved, well maintained equipment for castrating  |       |
| If the feedlot dehorns cattle, they use pain control when dehorning cattle, in consultation with their veterinarian   |       |
| If the feedlot castrates bulls, they use pain control for bulls older than 9 months of age. As of 2018, pain control will be used for castrating bulls older than 6 months of age.  |       |
| If feedlot staff replace rectal/vaginal/uterine prolapses, spay heifers, or perform other surgical procedures, pain control is used, and the procedure is performed by trained competent staff  |       |
| Feedlot has individual animal treatment and mortality records, and veterinary prescriptions for all prescription drugs, including those in the feed   |       |
| Feedlot has individual animal or group processing records (vaccination, implanting, deworming)  |       |
| Feedlot cattle are observed daily for health, sickness, and injuries by trained competent staff   |       |
| <ul> <li>castration infections, prolapses</li> <li>what to do if an animal doesn't respond to initial treatment, including when to euthanize or cull animals,</li> <li>how to manage chronically ill or injured animals, and railers</li> </ul>   |       |
| • how to prevent, treat, control, and manage common disease and health problems in feedlot cattle, including but not limited to respiratory disease, lameness including non-ambulatory cattle, injuries, bloats, grain overloads, bullers, pregnant and calving heifers, heat stress, newborn calves, broken horns, |       |
| protocol includes:  requirement to monitor cattle on an ongoing basis and provide prompt treatment or care  |       |
| Feedlot has documented processing and treatment protocols developed by their veterinarian. Treatment  |       |
| Feedlot has a valid veterinary-client-patient relationship (VCPR) with a licensed provincial practitioner to ensure animal health and care and responsible animal health, and food safety product use   |       |
| Feedlot cattle are identified with a CCIA/ATQ RFID ear tag and missing tags are replaced (regulatory not welfare requirement)   |       |
| Primary Core Criteria 5: Animal Health Management   |       |
|   |       |
| Comments:   | ., =, |
| Points  | /17   |
| Feedlot has a training program for feed staff   |       |
| VELA FEED RESULATIONS   | per   |
| Feeding records e.g. batch mix sheets, feed delivery sheets, veterinary feed prescriptions are documented as p<br>CFIA Feed Regulations.  |       |

## Primary Core Criteria 4, 5 and 6: Feed Management, Animal Health Management, and Environment

Score at least 5% of the home feeding pens, 1 receiving pen, 1 shipping pen, 1 or 2 sick pens, 1 chronic pen, and 1 rail pen with cattle. If there are < 5 pens in the feedlot, assess all pens. Select pens as per Introduction, pages 8 and 9. Assess all cattle in the pen after the pen-riders have checked, pulled and treated sick cattle for the day. For sick and chronic pens, only score those animals in the pen that are an egregious acts of neglect or willful act of abuse that need euthanasia or immediate emergency slaughter (see page 26, 28 and 29 for definitions). Describe in Comments.

|           |          |        |     | CC4. | CC4.  | CC6.                | CC6.      | CC5. Anir      | nal Heal | lth Mana | gement Number   |          |
|-----------|----------|--------|-----|------|-------|---------------------|-----------|----------------|----------|----------|---|----------|
|           |          |        |     | Feed | Feed  | Environment         |           | of Cattle (    |          |          |   |          |
|           | Pen#     | # head | DOF | Feed | Water | Properly<br>Stocked | Clean Pen | Extreme<br>Tag | Dead     | Down     | Animals Needing Attention   | Comments |
| Feeding   |          |        |     |      |       |                     |           |                |          |          |   |          |
| Feeding   |          |        |     |      |       |                     |           |                |          |          |   |          |
| Feeding   |          |        |     |      |       |                     |           |                |          |          |   |          |
| Feeding   |          |        |     |      |       |                     |           |                |          |          |   |          |
| Feeding   |          |        |     |      |       |                     |           |                |          |          |   |          |
| Receiving |          |        |     |      |       |                     |           |                |          |          |   |          |
| Shipping  |          |        |     |      |       |                     |           |                |          |          |   |          |
| Total #   |          |        |     |      |       |                     |           |                |          |          | Animals Needing<br>Euthanasia or Immediate<br>Emergency Slaughter | Comments |
| Sick      |          |        |     |      |       |                     |           |                |          |          |   |          |
| Sick      |          |        |     |      |       |                     |           |                |          |          |   |          |
| Chronic   |          |        |     |      |       |                     |           |                |          |          |   |          |
| Rail      | <u> </u> |        |     |      |       |                     |           |                |          |          |   |          |
| Total #   |          |        |     |      |       |                     |           |                |          |          |   |          |

In small feedlots, the sick, chronic and rail pens may be combined so score at least 4 of these pens if available with cattle. Receive points if condition met e.g. clean pen = 1, properly stocked = 1. For CC5. Animal Health Management, record the number of animals with the condition e.g. 1 Down, 2 Animals Needing Attention.

#### \*egregious act of neglect

| Category         | Description  |
|------------------|--|
| Feed             | Feed available at least once daily in home feeding pens  |
| Water            | Access to water at all times in home feeding pens, receiving and shipping pens (no water required in temporary holding pens)   |
| Properly Stocked | All cattle can adopt normal resting postures at the same time (consider usable space)  |
| Clean Pens       | There is no extreme mud in pens i.e. extreme mud is $> 4$ " over the fetlock/mid-cannon bone/ $\sim 12$ " above ground) for $> 1/3$ of pen floor (excluding area for feed bunk, water trough and bedding pack) |

## **Primary Core Criteria 4 and 6: Feeding and Environment Targets**

|   | Points if meet target  |
|---|--|
| Feed: 100% (feed must have been provided within the last 24 hour period)  |  |
| Water: 100% (water must have been provided in feeding pens at all times)  |  |
| Properly Stocked: ≥90%  |  |
| Clean Pens: ≥70%  |  |
| Comments: (Describe reasons feed may be absent in bunk, any reasons why cattle me bunk conditions. Feed must have been provided within a 24 hour period or this is an eprovided at all times in feeding pens; else, this is an egregious act of neglect. Addition noted, they must be provided with water. The only exception to providing water at housed in holding pens for a few hours e.g. re-implanting or weight sorting cattle. explain muddy pen conditions or taggy cattle e.g. weather conditions, and if pen caccess feed and water or find a dry resting area. Note any efforts underway to clean have difficulty reaching feed or water.) | egregious act of neglect. Water must be<br>nally, if any nonambulatory animals are<br>all times is when cattle are temporarily<br>Describe any special circumstances to<br>onditions make it difficult for cattle to |
|   |  |
| Primary Core Criteria 5: Health Condition of Animal   | s in Pens  |
|   |  |
| HEALTH TARGETS IN EFEDING DENS (HOME DECEIVING SHIPPING).   | Points if meet target  |
| HEALTH TARGETS IN FEEDING PENS (HOME, RECEIVING, SHIPPING):  Down (nonambulatory): 0%   |  |
| Down (nonambulatory): 0%  |  |
| Down (nonambulatory): 0% Extreme Tag: ≤10%  |  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%   |  |
| Down (nonambulatory): 0% Extreme Tag: ≤10%  |  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%   | Points if meet target  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%  HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS:  | Points if meet target  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%   | Points if meet target  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%  HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS:  Down (nonambulatory): ≤1%   | Points if meet target  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%  HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS:  Down (nonambulatory): ≤1%  Extreme Tag (Extreme): ≤10%  | Points if meet target  |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%  HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS:  Down (nonambulatory): ≤1%  Extreme Tag (Extreme): ≤10%  | Total/40   |
| Down (nonambulatory): 0%  Extreme Tag: ≤10%  Dead: 0%  Animals needing attention: ≤1%  HEALTH TARGETS IN SICK, CHRONIC, AND RAIL PENS:  Down (nonambulatory): ≤1%  Extreme Tag (Extreme): ≤10%  Dead: 0%  | Total/40  Total/30  Ing circumstances to explain what you ag timeframe for resolution. Are they hals. If the auditor notices any severely  |

## Primary Core Criteria 7: On-Farm Humane Stunning/Euthanasia of Feedlot Cattle

| Feedlot has a documented Euthanasia Protocol and Emergency Slaughter/Salvage Slaughter Protocol (if latter applicable). The protocol includes requirements to euthanize or cull for salvage slaughter without delay, |             |
|--|-------------|
| cattle that:   |             |
| <ul> <li>are unlikely to recover</li> <li>fail to respond to treatment and convalescent protocols</li> </ul>   |             |
| • have chronic, severe, or debilitating pain and distress  |             |
| • are unable to consume feed and water   |             |
| • show continuous weight loss or emaciation  |             |
| • are non-ambulatory and nonresponsive for more than 24 hours unless otherwise ordered treatment by  |             |
| feedlot veterinarian   |             |
| Feedlot's documented Euthanasia Protocol and Emergency Slaughter/Salvage Slaughter Protocol (if latter applicable) include:  |             |
| • requirement that non-ambulatory cattle are not dragged (i.e. willful act of abuse) or forced to move prior to  |             |
| stunning for emergency slaughter or euthanasia   |             |
| • information on the correct placement and direction of a gun-shot or captive bolt   |             |
| <ul> <li>information on how to confirm insensibility and death</li> </ul>  |             |
| <ul> <li>information on what to do if the first attempt doesn't render the animal insensible</li> </ul>  |             |
| requirement not to move or leave the animal until confirmed dead   |             |
| Feedlot has acceptable stunning and euthanasia equipment for feedlot cattle. (Note: acceptable stunning and  |             |
| euthanasia equipment for feedlot cattle include a 22 magnum or larger caliber rifle, shotgun or penetrating  |             |
| captive bolt gun with secondary kill step)   |             |
| Feedlot has ample ammunition (properly stored) to euthanize or stun for emergency slaughter feedlot cattle at all times  |             |
| Feedlot has a back-up method on premises or readily available if gun doesn't work or breaks e.g. second gun  |             |
| Feedlot has a cleaning kit to maintain the stunning and euthanasia equipment   |             |
|  |             |
| Comments: Points   | /39         |
|  |             |
|  |             |
|  |             |
| Effective Stunning and Euthanasia Cattle Available to Assess: Yes  | No          |
| _  |             |
| During an on-site assessment, if there are any animals being stunned for salvage slaughter or euthanized by gunsho   |             |
| the effectiveness of the stunning. When evaluating the effectiveness of stunning, the auditor monitors whether o   |             |
| animal is rendered insensible with a single shot. Insensibility means the animal does not vocalize, raise its head, or   |             |
| eyes. If an animal is not rendered insensible immediately, then a second and third shot, if required, must be d  |             |
| immediately. If more than 2 shots are required to render the animal insensible or the operator does not deliver ac   |             |
| shots immediately to render the animal insensible, then stunning for insensibility is considered ineffective. Note: ac   |             |
| shots after insensibility may be required to render the animal dead and those shots are not counted here when dete<br>the effectiveness of stunning for insensibility.   | grillilling |
| the effectiveness of stuffling for miserisibility.   |             |
| Cattle available to assess? 1 2 3 4  | 5           |
| Effective stunning so animal insensible  |             |
|  |             |
| Effective Stunning: Total: #/ %  |             |
|  |             |
| Target: <u>&gt;</u> 90%  |             |
|  |             |
|  |             |

## Primary Core Criteria 8: Egregious Acts of Neglect or Willful Acts of Abuse

Any egregious act of neglect or willful act of abuse that is observed in the feedlot are grounds for automatic assessment failure.

**Egregious acts of neglect** include but are not limited to:

- failing to follow veterinary protocols related to timely euthanasia of critically ill/distressed animals,
- failing to euthanize a chronically diseased or injured animal with a BCS < 2 as per veterinary health and euthanasia protocols,
- failing to provide daily feed to cattle within a 24 hour period,
- failing to provide ad libitum water to cattle in home feeding pens,
- failing to provide water to nonambulatory animals,
- failing to assist a known calving heifer in a timely manner,
- failing to assist a newborn calf in distress, and
- failing to immediately assist and provide medical care to a nonambulatory animal
- failing to provide immediate medical assistance to a "compromised" animal unloaded from a livestock truck, as defined per CFIA Transportation Regulations
- loading a "compromised" animal without special transport provisions, as per CFIA Transportation Regulations.

#### Willful acts of abuse include, but are not limited to:

- dragging of conscious animals by any part of their body except in the rare case where a non-ambulatory animal must be moved from a life threatening situation,
- deliberate application of prods to sensitive parts of the animal such as the eyes, ears, nose, anus, vulva, udder, or testicles,
- deliberate slamming of gates on cattle unless for human safety,
- malicious hitting/beating of an animal which includes forcefully striking an animal with a closed fist, foot, handling
  equipment e.g. sorting paddle or other hard/solid objects that can cause pain, bruising or injury,
- deliberate driving of ambulatory cattle on top of one another,
- tail docking unless on the advice of a licensed veterinarian,
- abdominal surgery e.g. rumen fistula, C section, spaying, conducted by an unqualified untrained person without anesthetic and analgesia,
- rectal/vaginal/uterine prolapse replacements with suture or amputations without anesthetic or analgesia,
- euthanasia by means other than approved guns or euthanasia drugs administered by a licensed veterinarian,
- during euthanasia by gunshot, failing to immediately deliver additional shots if the first shot does not render the animal insensible and then dead (assuming no secondary kill step was used after rendering insensible by gunshot, such as pithing or jugular exsanguination),
- live animal on the dead stock pile,
- unchecked dog biting cattle in chute with cattle having nowhere to go,
- live animal frozen to the ground,
- branding wet cattle
- loading cattle unfit for transport as per CFIA Transport Regulations

| Observed:       | YES      | NO                                       | YES = AUTOMATIC AUDIT FAILURE |
|-----------------|----------|--|-------------------------------|
| Comments on any | egregiou | s acts of neglect or willful acts of abu | use observed (if any)         |
|                 |          |  |                               |
|                 |          |  |                               |
|                 |          |  |                               |

## **Secondary Criteria**

### Secondary Item within Core Criteria 1: Feedlot Commitment to Animal Care

| Τ.            | Feedlot has a written animal care policy.   | ☐ Yes or ☐ No   |
|---------------|---|---|
| Sec           | ondary Items within Core Criteria 2: Facilities   |   |
| 1.            | For indoor feedlot pens, supplementary light is provided to cattle that do not have access to natural light to facilitate normal behavior (can you see in barn?)  | □ Yes or □ No □ NA  |
| 2.            |   | □ Yes or □ No □ NA  |
| 3.            | Feedlot has a documented pen maintenance plan or records to show how manure/mud build-up in pens is minimized   | ☐ Yes or ☐ No   |
|               | Comments on facilities:   |   |
| Sed           | ondary Items within Core Criteria 3: Cattle Handling  |   |
| 1.            | Total number miscaught in chute and immediately released (tally here):  |   |
|               | Total number of slips (tally slips here):   |   |
|               | Total number of cattle jumping and racing (tally jumping and racing here):  |   |
|               | Temperament of cattle (check one): Excitable Normal Docile  |   |
| <b>L</b>      | Did the persons handling the cattle do so quietly and calmly?   | ☐ Yes or ☐ No   |
| ٥.            | Comments on attitude and behavior of people handling cattle:  |   |
|               | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program   |   |
|               | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:   | □ Yes or □ No   |
| Se            | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload and   | □ Yes or □ No   |
| Se            | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru  | □ Yes or □ No<br>pt<br>nd   |
| Se            | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage   | ☐ Yes or ☐ No<br>pt<br>nd<br>as   |
| Se            | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  | ☐ Yes or ☐ No<br>pt<br>nd<br>as<br>es,  |
| <b>Se</b> 1.  | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes  d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly  e. how to assess water quality and quantity and adjust as needed  | ☐ Yes or ☐ No<br>pt<br>nd<br>as<br>es,  |
| <b>Se</b> 1.  | Comments on attitude and behavior of people handling cattle:  Condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload as bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes  d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly  e. how to assess water quality and quantity and adjust as needed  Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking  | ☐ Yes or ☐ No<br>pt<br>nd<br>as<br>es,  |
| <b>Sec</b> 1. | Condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes  d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly  e. how to assess water quality and quantity and adjust as needed  Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets)   | □ Yes or □ No pt nd as es, ng □ Yes or □ No   |
| <b>Se</b> 1.  | Comments on attitude and behavior of people handling cattle:  Condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes  d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly  e. how to assess water quality and quantity and adjust as needed  Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets)  Feedlot takes steps to prevent exposure to toxins and feed with adverse physical qualities that lim  | ☐ Yes or ☐ No pt nd as es, ng ☐ Yes or ☐ No ☐ Yes or ☐ No                                 |
| See 1. 2. 3.  | Comments on attitude and behavior of people handling cattle:  condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes  d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly  e. how to assess water quality and quantity and adjust as needed  Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets)  Feedlot takes steps to prevent exposure to toxins and feed with adverse physical qualities that limintake or cause injury e.g. inspects incoming feeds, tests suspect feed | ☐ Yes or ☐ No pt nd as es, ng ☐ Yes or ☐ No ☐ Yes or ☐ No                                 |
| 2. 3. 4.      | Comments on attitude and behavior of people handling cattle:  Condary Items within Core Criteria 4: Nutrition and Feed Management Program  Feedlot has a documented feeding protocol that includes:  a. how to gradually transition cattle from high-forage to high-energy rations to avoid abru dietary changes and reduce the risk of nutrition-induced disorders, such as grain overload at bloat (describes ration changes, there is more than 1 ration)  b. how to ensure sufficient forage/fiber in high-energy rations to avoid digestive disorders, such grain overload and bloats  c. how to adjust rations when feed intake is disrupted by events such as storms, power outage mill or truck breakdowns, or sudden major ingredient changes  d. how to monitor cattle behaviour, performance, body condition score, and health; adjusting rations accordingly  e. how to assess water quality and quantity and adjust as needed  Feedlot monitors feed bunks daily to assess prior consumption and adjust feeding accordingly, taking into account weather changes (i.e. feed bunk call and delivery sheets)  Feedlot takes steps to prevent exposure to toxins and feed with adverse physical qualities that lim  | ☐ Yes or ☐ No pt nd as es, ng ☐ Yes or ☐ No ☐ Yes or ☐ No ☐ Yes or ☐ No nit ☐ Yes or ☐ No |

|      | Feedlot has a written protocol which is well understood by staff on how to promptly and properly handle non-ambulatory cattle   | ☐ Yes or ☐ No   |
|------|---|---|
|      | Feedlot has a written protocol about how to promptly and properly handle seriously injured cattle e.g. broken leg   | ☐ Yes or ☐ No   |
|      | Feedlot has written veterinary health protocols with pain control for all surgical procedures performed by feedlot staff, including but not limited to spaying, rectal, vaginal and uterine prolapse repair, claw amputations, rumen fistula  | ☐ Yes or ☐ No ☐ N                                       |
|      | Feedlot management and/or veterinarian monitor disease rates and the veterinarian is notified to investigate any unusual or high disease occurrences (treatment, death); advising the producer how to reduce losses by examining animals and reviewing existing biosecurity, health (treatment, mortality) and feeding protocols and records to prevent reoccurrences   | ☐ Yes or ☐ No   |
|      | If performance enhancing technologies (e.g. implants, beta-agonists) are used, they are used as per label directions and/or veterinary prescriptions  | ☐ Yes or ☐ No ☐ N                                       |
|      | Feedlot has a documented castration protocol, including for retained testicles (belly nuts), developed by their veterinarian that includes use of pain control or a policy to return bulls to seller or a policy to feed intact bulls   | ☐ Yes or ☐ No ☐ N                                       |
|      | Feedlot has a documented dehorning protocol developed by their veterinarian that includes use of pain control   | ☐ Yes or ☐ No ☐ N                                       |
|      | Feedlot has a documented branding protocol  | ☐ Yes or ☐ No ☐ N                                       |
|      |   | ☐ Yes or ☐ No   |
|      | Feedlot has animal health training records  | □ 162 01 □ 140  |
| e    | Comments:  condary Items within Core Criteria 7: Euthanasia   |   |
| e    | Comments:   | □ Yes or □ No   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot  |   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  |   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  Comments:   |   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  Comments:  econdary Item: Care of Other Working Animals in the Feedlot  |   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  Comments:  econdary Item: Care of Other Working Animals in the Feedlot  *** non-cattle welfare section  | ☐ Yes or ☐ No   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  Comments:  condary Item: Care of Other Working Animals in the Feedlot  *** non-cattle welfare section  Feedlot uses horses to monitor or move cattle.   | ☐ Yes or ☐ No   |
| e    | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  Comments:  **** condary Item: Care of Other Working Animals in the Feedlot  **** non-cattle welfare section  Feedlot uses horses to monitor or move cattle.  Feedlot uses dogs to move cattle  es to 1 or 2, then answer the questions below:   | ☐ Yes or ☐ No   |
| ee Y | condary Items within Core Criteria 7: Euthanasia  Feedlot has employee training records on euthanasia and emergency slaughter of feedlot cattle.  Comments:  condary Item: Care of Other Working Animals in the Feedlot  *** non-cattle welfare section  Feedlot uses horses to monitor or move cattle.  Feedlot uses dogs to move cattle  es to 1 or 2, then answer the questions below:  Feedlot horses/dogs are provided with feed and water daily (within 24 hour period) | ☐ Yes or ☐ No |

## Feedlot's Final Score of their Animal Care Assessment Program

| Primary Core Criteria  | Points Available         | Points Achieved        | Percentage Score % |
|--|--------------------------|------------------------|--------------------|
| Feedlot participation in animal care assessment  | -                        |                        | -                  |
| 1. Feedlot's Commitment to Animal Care   | 6                        |                        |                    |
| 2. Facilities  |                          |                        |                    |
| 3. Cattle Handling   | 67                       |                        |                    |
| 4. Nutrition and Feed Management   | 37                       |                        |                    |
| 5. Animal Health Management  |                          |                        |                    |
| 6. Environment   | 15                       |                        |                    |
| 7. Euthanasia  | 39                       |                        |                    |
| 7. Effective Stunning and Euthanasia   | -                        |                        | -                  |
| 8. Egregious Acts of Neglect or Willful<br>Acts of Abuse   | -                        |                        | -                  |
| Total Points   |                          |                        |                    |
| Feedlot passed all primary core criteria:  | Yes No                   |                        |                    |
|  |                          | re Corrective Actions: |                    |
| Summary of Nonconformities from Primary  | Core Criteria that Requi | re Corrective Actions: |                    |
| Summary of Nonconformities from Primary of Nonconformities fro | Core Criteria that Requi | re Corrective Actions: |                    |
| Summary of Nonconformities from Primary of Nonconformities fro | Yes No                   | re Corrective Actions: |                    |